Date: February 11 2025

Product Name:

FMF Commercial Bottom Glass Door Rail (With Optional Lock)

Model Number: TOP-DR0136.XX, TOP-DR0138.XX

Product Overview:

The FMF Commercial Top Glass Door Rail Profile offers a strong, durable, and compact solution for frameless glass door installations. Designed with a lock-free profile, this rail provides a clean, modern aesthetic while ensuring strength and long-lasting reliability. Perfect for commercial, residential, and hospitality applications, this top rail complements frameless glass doors, partitions, and railings.

Key Features:

- **Durable Construction**: Made from 6060 T6 aluminum for superior strength and corrosion resistance.
- Clean Aesthetic: Lock-free design for a modern, frameless look.
- Easy Installation: Requires no special tools for installation.
- Glass Compatibility: Fits 10mm–12mm tempered glass.

Technical Specifications:

Property	Details		
Material	6060 T6 Aluminum		
Dimensions (L × H × W) 36"	35 15/16" (L) × 4 1/4" (H) × 2 1/16" (W)		
Dimensions (L × H × W) 38"	37 3/4" (L) × 4 1/2" (H) × 2 1/16" (W)		
Glass Thickness	10mm – 12mm Tempered Glass		
Lock Option	Optional		
Load Capacity	Up to 100 kg		
Packaging Dimensions 36"	41" (L) × 4 1/2" (H) × 7 1/2" (W)		
Packaging Dimensions 38"	44" (L) × 5" (H) × 8" (W)		

Gross Weight 36"	17 lb
Gross Weight 38"	21 lb
Finish Options	Matte Black, Brushed Aluminum

Installation Instructions:

- 1. **Preparation**: Ensure all surfaces are clean and level before installation.
- Measurement: Mark the positions for the rail based on door width and height.
- 3. **Drilling**: Drill holes for rail mounting (no special tools required).
- 4. Placement: Position the rail and align it with the glass door.
- 5. **Securing**: Attach the rail securely and ensure the glass door is stable.
- 6. Final Inspection: Check for proper alignment and smooth operation of the door.

Maintenance & Care:

- Clean regularly with a soft cloth and mild cleaning solution to maintain finish and appearance.
- Avoid using abrasive materials that may damage the surface.
- Periodically check that mounting screws are tightened and the rail is securely fixed.

Date	of F	Rel∉	eas	e:
------	------	------	-----	----

February 11 2025

Warranty Period:

1 Year Limited Warranty

Contact Information:

FMF Glass Hardware

7205 Tranmere Dr. Unit 09, Mississauga, ON, L5S 1N4, Canada

Important Notes:

- **Availability**: Products may be subject to availability. Please confirm stock before ordering.
- **Custom Orders**: For special requests or custom specifications, contact customer service for assistance.
- **Disclaimer**: Specifications may change without notice. Please refer to the official FMF Glass Hardware website or contact your sales representative for the most up-to-date details.